

兔抗 CLEC10A 多克隆抗体

中文名称：兔抗 CLEC10A 多克隆抗体

英文名称： Anti-CLEC10A rabbit polyclonal antibody

别名： C-type lectin domain containing 10A; HML; MGL; HML2; CD301; CLECSF13; CLECSF14

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： CLEC10A

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signaling, glycoprotein turnover, and roles in inflammation and immune response. The encoded type 2 transmembrane protein may function as a cell surface antigen. Two transcript variants encoding distinct isoforms have been identified for this gene.
Applications:	ELISA, IHC

Name of antibody:	CLEC10A
Immunogen:	Fusion protein of human CLEC10A
Full name:	C-type lectin domain containing 10A
Synonyms:	HML; MGL; HML2; CD301; CLECSF13; CLECSF14
SwissProt:	Q8IUN9
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	40-200



