

## 兔抗 APLF(Ab-116)多克隆抗体

中文名称：兔抗 APLF(Ab-116)多克隆抗体

英文名称：Anti-APLF(Ab-116) rabbit polyclonal antibody

别名：APFL; PALF; Xip1; ZCCHH1; C2orf13

相关类别：一抗

抗原：APLF(Ab-116)

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Nuclease involved in single-strand and double-strand DNA break repair. Recruited to sites of DNA damage through interaction with poly(ADP-ribose), a polymeric post-translational modification synthesized transiently at sites of chromosomal damage to accelerate DNA strand break repair reactions. Displays apurinic-apyrimidinic (AP) endonuclease and 3'-5' exonuclease activities in vitro. Also able to introduce nicks at hydroxyuracil and other types of pyrimidine base damage.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	APLF(Ab-116)

<b>Immunogen:</b>	Synthesized non-phosphopeptide derived from human AP LF around the phosphorylation site of serine 116 (R-N-S(p)-Q-V).
<b>Full name:</b>	aprataxin and PNKP like factor
<b>Synonyms :</b>	APFL; PALF; Xip1; ZCCHH1; C2orf13
<b>SwissProt:</b>	Q8IW19
<b>IHC positive control:</b>	Human brain tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	60 kDa
<b>WB Positive control:</b>	HT-29 cells lysate
<b>WB Recommended dilution:</b>	500-3000



