

## 兔抗 APOBEC3D 多克隆抗体

中文名称：兔抗 APOBEC3D 多克隆抗体

英文名称： Anti-APOBEC3D rabbit polyclonal antibody

别名： A3D; ARP6; APOBEC3E; APOBEC3DE

相关类别： 一抗

储存： 冷冻 (-20℃)

抗原： APOBEC3D

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | This gene is a member of the cytidine deaminase gene family. It is one of a group of related genes found in a cluster, thought to result from gene duplication, on chromosome 22. Members of the cluster encode proteins that are structurally and functionally related to the C to U RNA-editing cytidine deaminase APOBEC1 and inhibit retroviruses, such as HIV, by deaminating cytosine residues in nascent retroviral cDNA. |
| <b>Applications:</b>     | ELISA, WB, IHC   |
| <b>Name of antibody:</b> | APOBEC3D   |
| <b>Immunogen:</b>        | Synthetic peptide of human APOBEC3D  |

|                                    |   |
|------------------------------------|---|
| <b>Full name:</b>                  | apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3D |
| <b>Synonyms:</b>                   | A3D; ARP6; APOBEC3E; APOBEC3DE                                      |
| <b>SwissProt:</b>                  | Q96AK3  |
| <b>ELISA Recommended dilution:</b> | 2000-5000   |
| <b>IHC positive control:</b>       | Human breast cancer and Human esophagus cancer                      |
| <b>IHC Recommend dilution:</b>     | 50-200  |
| <b>WB Predicted band size:</b>     | 47 kDa  |
| <b>WB Positive control:</b>        | 231 , HEPG2 and Jurkat cell lysates                                 |
| <b>WB Recommended dilution:</b>    | 500-2000  |



