

兔抗 CLTC 多克隆抗体

中文名称：兔抗 CLTC 多克隆抗体

英文名称：Anti-CLTC rabbit polyclonal antibody

别名：Hc; CHC; CHC17; CLH-17; CLTCL2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CLTC

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Clathrin is a major protein component of the cytoplasmic face of intracellular organelles, called coated vesicles and coated pits. These specialized organelles are involved in the intracellular trafficking of receptors and endocytosis of a variety of macromolecules. The basic subunit of the clathrin coat is composed of three heavy chains and three light chains.
Applications:	ELISA, WB, IHC
Name of antibody:	CLTC
Immunogen:	Synthetic peptide of human CLTC
Full name:	clathrin, heavy chain (Hc)

Synonyms :	Hc; CHC; CHC17; CLH-17; CLTCL2
SwissProt:	Q00610
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and Human gastric cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	192 kDa
WB Positive control:	NIH/3T3 and hela cells
WB Recommended dilution:	200-1000



