

兔抗 EIF3F 多克隆抗体

中文名称：兔抗 EIF3F 多克隆抗体

英文名称：Anti-EIF3F rabbit polyclonal antibody

别名：EIF3S5; eIF3-p47

相关类别：一抗

抗原：EIF3F

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Eukaryotic translation initiation factor 3 subunit F is a protein that in humans is encoded by the EIF3F gene. The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation.
Applications:	ELISA, WB, IHC
Name of antibody:	EIF3F
Immunogen:	Fusion protein of human EIF3F

Full name:	eukaryotic translation initiation factor 3, subunit F
Synonyms:	EIF3S5; eIF3-p47
SwissProt:	O00303
IHC positive control:	Human gastric cancer and human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	38 kDa
WB Positive control:	Mouse kidney tissue
WB Recommended dilution:	200-1000



