

兔抗 EIF3G 多克隆抗体

中文名称：兔抗 EIF3G 多克隆抗体

英文名称：Anti-EIF3G rabbit polyclonal antibody

别名：eukaryotic translation initiation factor 3 subunit G; EIF3S4; EIF3-P42; eIF3-p44; eIF3-delta

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：EIF3G

反应种属：Human, Mouse, Rat


标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a core subunit of the eukaryotic translation initiation factor 3 (eIF3) complex, which is required for initiation of protein translation. An N-terminal caspase cleavage product of the encoded protein may stimulate degradation of DNA. A mutation in this gene is associated with narcolepsy. [provided by RefSeq, Jul 2016]
Applications:	ELISA, IHC
Name of antibody:	EIF3G
Immunogen:	Fusion protein of human EIF3G

Full name:	eukaryotic translation initiation factor 3 subunit G
Synonyms:	EIF3S4; EIF3-P42; eIF3-p44; eIF3-delta
SwissProt:	O75821
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	100-300



mlbio 梅联生物
Good elisakit producers