

## 兔抗 CES2 多克隆抗体

中文名称：兔抗 CES2 多克隆抗体

英文名称：Anti-CES2 rabbit polyclonal antibody

别名：carboxylesterase 2; iCE; CE-2; PCE-2; CES2A1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CES2

反应种属：Human


标记物：Unconjugate



克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the carboxylesterase large family. The family members are responsible for the hydrolysis or transesterification of various xenobiotics, such as cocaine and heroin, and endogenous substrates with ester, thioester, or amide bonds. They may participate in fatty acyl and cholesterol ester metabolism, and may play a role in the blood-brain barrier system. The protein encoded by this gene is the major intestinal enzyme and functions in intestine drug clearance. Alternatively spliced transcript variants have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	CES2
<b>Immunogen:</b>	Synthetic peptide of human CES2
<b>Full name:</b>	carboxylesterase 2
<b>Synonyms:</b>	iCE; CE-2; PCE-2; CES2A1
<b>SwissProt:</b>	O00748
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and human prostate cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	62 kDa
<b>WB Positive control:</b>	Human fetal liver tissue lysate
<b>WB Recommended dilution:</b>	200-1000





**mlbio** 梅联生物  
Good elisakit producers