

兔抗 EPHB1/2/3/4(Ab-600/602/614/596) 多 克隆抗体

中文名称: 兔抗 EPHB1/2/3/4(Ab-600/602/614/596) 多克隆抗体

英文名称: Anti-EPHB1/2/3/4(Ab-600/602/614/596) rabbit polyclonal antibody

别名: ELK; NET; Hek6; EPHT2/DRT; EK5; ERK; CAPB; Hek5; PCBC; EPHT3; Tyro5/ETK2; HEK2; TYRO6/HTK; MYK1; TYRO11

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: EPHB1/2/3/4(Ab-600/602/614/596)

反应种属: Human Mouse

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:	cells, leading to contact-dependent bidirectional signalin
	g into neighboring cells. The signaling pathway downstr
	eam of the receptor is referred to as forward signaling
	while the signaling pathway downstream of the ephrin li
	gand is referred to as reverse signaling. Cognate/functio

nal ephrin ligands for this receptor include EFNB1, EFNB

Receptor tyrosine kinase which binds promiscuously tran smembrane ephrin-B family ligands residing on adjacent



	2 and EFNB3. During nervous system development, regulates retinal axon guidance redirecting ipsilaterally ventrotemporal retinal ganglion cells axons at the optic chias midline. This probably requires repulsive interaction with EFNB2. In the adult nervous system together with EFNB3, regulates chemotaxis, proliferation and polarity of the hippocampus neural progenitors. Beside its role in axon guidance plays also an important redundant role with other ephrin-B receptors in development and maturati
	on of dendritic spines and synapse formation. May also regulate angiogenesis. More generally, may play a role in targeted cell migration and adhesion. Upon activation by EFNB1 and probably other ephrin-B ligands activates the MAPK/ERK and the JNK signaling cascades to regulate cell migration and adhesion respectively.
Applications:	WB
Name of antibody:	EPHB1/2/3/4(Ab-600/602/614/596)
Immunogen:	Synthesized non-phosphopeptide derived from human E PHB1/2/3/4 around the phosphorylation site of tyrosine 600/602/614/596 (F-T-Y(p)-E-D).
Full name:	EPH receptor B1/2/3/4
Synonyms :	ELK; NET; Hek6; EPHT2/DRT; EK5; ERK; CAPB; Hek5; PCB C; EPHT3; Tyro5/ETK2; HEK2; TYRO6/HTK; MYK1; TYRO11
SwissProt:	P54762/P29323/P54753/P54760
WB Predicted band size:	110/117/110/108 kDa
WB Positive control:	NIH/3T3 cells treated with heat shock lysate
WB Recommended dilution:	500-3000



kDa **—**

—

—

—

—

19—