

兔抗 ESR1 (Phospho-Ser104)多克隆抗体

中文名称: 兔抗 ESR1 (Phospho-Ser104)多克隆抗体

英文名称: Anti-ESR1 (Phospho-Ser104) rabbit polyclonal antibody

别 名: ER; ESR; ESR1; ESTR; ESTRA; Era; ESRA; NR3A1

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: ESR1 (Phospho-Ser104)

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes an estrogen receptor, a ligand-ac tivated transcription factor composed of several dom ains important for hormone binding, DNA binding, a nd activation of transcription. The protein localizes t o the nucleus where it may form a homodimer or a heterodimer with estrogen receptor 2. Estrogen and its receptors are essential for sexual development an d reproductive function, but also play a role in othe r tissues such as bone. Estrogen receptors are also i nvolved in pathological processes including breast c ancer, endometrial cancer, and osteoporosis. Alternat



| | ive splicing results in several transcript variants, which differ in their 5' UTRs and use different promoters. |
|--------------------------|---|
| Applications: | WB, IHC |
| Name of antibody: | ESR1 (Phospho-Ser104) |
| Immunogen: | Synthetic peptide of human ESR1 (Phospho-Ser104) |
| Full name: | estrogen receptor 1 (Phospho-Ser104) |
| Synonyms: | ER; ESR; ESR1; ESTR; ESTRA; Era; ESRA; NR3A1 |
| SwissProt: | P03372 |
| IHC positive control: | Human breast carcinoma |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 66 kDa |
| WB Positive control: | MCF-7 cells treated with E2 and EGF |
| WB Recommended dilution: | 500-1000 |





