

## 兔抗 ESR2 多克隆抗体

中文名称：兔抗 ESR2 多克隆抗体

英文名称：Anti-ESR2 rabbit polyclonal antibody

别 名：Erb; ESRB; ESTRB; NR3A2; ER-BETA; ESR-BETA

相关类别：一抗

抗 原：ESR2

储 存：冷冻（-20℃）

宿 主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the family of estrogen receptors and superfamily of nuclear receptor transcription factors. The gene product contains an N-terminal DNA binding domain and C-terminal ligand binding domain and is localized to the nucleus, cytoplasm, and mitochondria. Upon binding to 17beta-estradiol or related ligands, the encoded protein forms homo- or heterodimers that interact with specific DNA sequences to activate transcription. Some isoforms dominantly inhibit the activity of other estrogen receptor family members. Several alternatively spliced transcript variants of this gene have
--------------------	--

	ave been described, but the full-length nature of some of these variants has not been fully characterized.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	ESR2
<b>Immunogen:</b>	Fusion protein of human ESR2
<b>Full name:</b>	estrogen receptor 2 (ER beta)
<b>Synonyms :</b>	Erb; ESRB; ESTRB; NR3A2; ER-BETA; ESR-BETA
<b>SwissProt:</b>	Q92731
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human cervical cancer and human ovarian cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	59 kDa
<b>WB Positive control:</b>	Mouse brain tissue
<b>WB Recommended dilution:</b>	500-2000



