

## AADACL2 抗原(重组蛋白)

中文名称: AADACL2 抗原(重组蛋白)

- 英文名称: AADACL2 Antigen (Recombinant Protein)
- 别名: arylacetamide deacetylase-like 2
- 储存: 冷冻(-20℃)
- 相关类别: 抗原
- 概 述:

Fusion protein corresponding to C terminal 222 amino acids of human AADACL2

## 技术规格:

Full name:	arylacetamide deacetylase-like 2
Swissprot:	Q6P093
Gene Accession:	BC065724
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	AADAC is a 45 kDa membrane-associated hydrolase highly express ed in the human liver that has been implicated in the hydrolysis o f arylacetamide xenobiotics including flutamide and phenacetin.556 –560AADAC is highly homologous to several related lipases, AADA CL1, 2, and 4, the latter two of which remain completely unannota ted. Overexpression of AADAC in a rat hepatoma cell line produce s changes in cellular TG levels, apoplipoprotein B secretion, and fa tty acid oxidation, but the mechanism for these effects remains un clear.561 Candidate endogenous substrates, selective inhibitors, or



knockout mice have not, to our knowledge, been described for AA
DAC or the related enzymes AADACL2 and AADACL4.