

小鼠抗 S100A10 单克隆抗体

中文名称: 小鼠抗 S100A10 单克隆抗体

英文名称: Anti-S100A10 mouse monoclonal antibody

别 名: S100 calcium binding protein A10; 42C; P11; p10; GP11; ANX2L; CAL1L; CLP11; Ca[1]; ANX2LG

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Mouse

抗 原: S100A10

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: Mouse Monoclonal

技术规格

Background:	The protein encoded by this gene is a member of the S100 fa mily of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a num ber of cellular processes such as cell cycle progression and diff erentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may fu nction in exocytosis and endocytosis.
Applications:	WB, IP, IF
Name of antibody:	S100A10



Immunogen:	Fusion protein of human S100A10
Full name:	S100 calcium binding protein A10
Synonyms:	42C; P11; p10; GP11; ANX2L; CAL1L; CLP11; Ca[1]; ANX2LG
SwissProt:	P08207
WB Predicted band size:	11 kDa
WB Positive control:	C6, 3T3 and Hela cell lysates
WB Recommended diluti on:	1000-5000
IF positive control:	Hela cells
IF Recommend dilution:	100-200







