

## 小鼠抗 STAT5A 单克隆抗体

中文名称: 小鼠抗 STAT5A 单克隆抗体

英文名称: Anti-STAT5A mouse monoclonal antibody

别 名: signal transducer and activator of transcription 5A; MGF; STAT5

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Mouse

抗 原: STAT5A

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: Mouse Monoclonal

## 技术规格

**Background:** 

The protein encoded by this gene is a member of the STA T family of transcription factors. In response to cytokines a nd growth factors, STAT family members are phosphorylate d by the receptor associated kinases, and then form homo - or heterodimers that translocate to the cell nucleus wher e they act as transcription activators. This protein is activat ed by, and mediates the responses of many cell ligands, s uch as IL2, IL3, IL7 GM-CSF, erythropoietin, thrombopoietin, and different growth hormones. Activation of this protein i n myeloma and lymphoma associated with a TEL/JAK2 gen e fusion is independent of cell stimulus and has been sho



|                          | wn to be essential for tumorigenesis. The mouse counterpart of this gene is found to induce the expression of BCL2L 1/BCL-X(L), which suggests the antiapoptotic function of this gene in cells. Alternatively spliced transcript variants have been found for this gene. |
|--------------------------|---|
| Applications:            | WB  |
| Name of antibody:        | STAT5A  |
| Immunogen:               | Fusion protein of human STAT5A  |
| Full name:               | signal transducer and activator of transcription 5A   |
| Synonyms:                | MGF; STAT5  |
| SwissProt:               | P42229  |
| WB Predicted band size:  | 91 kDa  |
| WB Positive control:     | 3T3, A549, Molt-4, K562 and Hela cell lysates   |
| WB Recommended dilution: | 1000-5000   |

