

兔抗 CFL2 多克隆抗体

中文名称：兔抗 CFL2 多克隆抗体

英文名称：Anti-CFL2 rabbit polyclonal antibody

别名：cofilin 2; NEM7

相关类别：一抗

抗原：CFL2

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes an intracellular protein that is involved in the regulation of actin-filament dynamics. This protein is a major component of intranuclear and cytoplasmic actin rods. It can bind G- and F-actin in a 1:1 ratio of cofilin to actin, and it reversibly controls actin polymerization and depolymerization in a pH-dependent manner. Mutations in this gene cause nemaline myopathy type 7, a form of congenital myopathy. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	CFL2
Immunogen:	Synthetic peptide of human CFL2
Full name:	cofilin 2

Synonyms:	NEM7
SwissProt:	Q9Y281
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and human lung cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	19 kDa
WB Positive control:	Raji cell , Rat skeletal muscle tissue , Hela cell , Mouse skeletal muscle tissue and Mouse brain tissue lysates
WB Recommended dilution:	200-1000





