

订购热线: 4008-898-798

## Anti-ZNF397 antibody

**Cat. No.** ml125388

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-ZNF397 rabbit polyclonal antibody

Applications ELISA, IHC

**Immunogen** Fusion protein of human ZNF397

ReactivityHumanContent0.78 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol ZNF397

Full namezinc finger protein 397SynonymsZNF47; ZSCAN15

Swissprot Q8NF99

## **Target Background**

This gene encodes a protein with a N-terminal SCAN domain, and the longer isoform contains nine C2H2-type zinc finger repeats in the C-terminal domain. The protein localizes to centromeres during interphase and early prophase, and different isoforms can repress or activate transcription in transfection studies. Multiple transcript variants encoding different isoforms have been found for this gene. Additional variants have been described, but their biological validity has not been determined.




订购热线: 4008-898-798

## **Applications**

## **Immunohistochemistry**

Predicted cell location: Cytoplasm and Nucleus

Positive control: Human tonsil Recommended dilution: 40-200





The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using ml125388(ZNF397 Antibody) at dilution 1/45, on the right is treated with fusion protein. (Original magnification: ×200)

**ELISA** 

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696


邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm and Nucleus

Positive control: Human cervical cancer

Recommended dilution: 40-200





The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using ml125388(ZNF397 Antibody) at dilution 1/45, on the right is treated with fusion protein. (Original

magnification: ×200)