

订购热线: 4008-898-798

Anti-GTF3C2 antibody

Cat. No. ml125461

Package 25 μ l/100 μ l/200 μ l

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-GTF3C2 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Fusion protein of human GTF3C2

ReactivityHuman, MouseContent0.78 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol GTF3C2

Full name general transcription factor IIIC subunit 2

Synonyms TFIIIC110; TFIIIC-BETA

Swissprot Q8WUA4

Target Background

Required for RNA polymerase III-mediated transcription. Component of TFIIIC that initiates transcription complex assembly on tRNA and is required for transcription of 5S rRNA and other stable nuclear and cytoplasmic RNAs. May play a direct role in stabilizing interactions of TFIIIC2 with TFIIIC1.




订购热线: 4008-898-798

Applications

Immunohistochemistry

Predicted cell location: Nucleus Positive control: Human thyroid cancer

Recommended dilution: 40-200





The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml125461(GTF3C2 Antibody) at dilution 1/45, on the right is treated with fusion protein. (Original magnification: ×200)

ELISA

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696


邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Nucleus

Positive control: Human cervical cancer

Recommended dilution: 40-200





The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using ml125461(GTF3C2 Antibody) at dilution 1/45, on the right is treated with fusion protein. (Original magnification: ×200)