

订购热线: 4008-898-798

Anti-GLYATL2 antibody

Cat. No. ml125710

Package 25 μ l/100 μ l/200 μ l

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-GLYATL2 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Fusion protein of human GLYATL2

ReactivityHumanContent0.66 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol GLYATL2

Full name glycine-N-acyltransferase like 2

Synonyms GATF-B; BXMAS2-10

Swissprot Q8WU03

Target Background

Mitochondrial acyltransferase which transfers the acyl group to the N-terminus of glycine. Conjugates numerous substrates, such as arachidonoyl-CoA and saturated medium and long-chain acyl-CoAs ranging from chain-length C8:0-CoA to C18:0-CoA, to form a variety of N-acylglycines. Shows a preference for monounsaturated fatty acid oleoyl-CoA (C18:1-CoA) as an acyl donor. Does not exhibit any activity toward C22:6-CoA and chenodeoxycholoyl-CoA, nor toward serine or alanine.




订购热线: 4008-898-798

Applications

Immunohistochemistry

Predicted cell location: Cytoplasm Positive control: Human thyroid cancer Recommended dilution: 50-300





The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml125710(GLYATL2 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200)

ELISA

Recommended dilution: 5000-10000


联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm Positive control: Human tonsil Recommended dilution: 50-300





The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using ml125710(GLYATL2 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: ×200)