

订购热线: 4008-898-798

## Anti-CMTM8 antibody

**Cat. No.** ml160397

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-CMTM8 rabbit polyclonal antibody

**Applications** ELISA, IHC

Immunogen Synthetic peptide of human CMTM8

ReactivityHuman, MouseContent0.4 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol CMTM8

Full name CKLF-like MARVEL transmembrane domain containing 8

Synonyms CKLFSF8; CKLFSF8-V2

Swissprot Q8IZV2

## **Target Background**

This gene belongs to the chemokine-like factor gene superfamily, a novel family that is similar to the chemokine and the transmembrane 4 superfamilies. This gene is one of several chemokine-like factor genes located in a cluster on chromosome 3. This gene is widely expressed in many tissues, but the exact function of the encoded protein is unknown.



订购热线: 4008-898-798


## **Applications**


## **Immunohistochemistry**

Predicted cell location: Cytoplasm and Nucleus

Positive control: Human thyroid cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml160397(CMTM8 Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: ×200)

**ELISA** 

Recommended dilution: 2000-5000


联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm and Nucleus

Positive control: Human brain Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml160397(CMTM8 Antibody) at dilution 1/40, on the right is treated with synthetic peptide. (Original magnification: ×200)