

订购热线: 4008-898-798

Anti-CD226 antibody

Cat. No. ml160970

Package 25 μl/100 μl/200 μl

Storage -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview

Description Anti-CD226 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Synthetic peptide of human CD226

ReactivityHumanContent0.6 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

Target information

Symbol CD226

Full name CD226 molecule

Synonyms PTA1; DNAM1; DNAM-1; TLiSA1

Swissprot Q15762

Target Background

This gene encodes a glycoprotein expressed on the surface of NK cells, platelets, monocytes and a subset of T cells. It is a member of the Ig-superfamily containing 2 Ig-like domains of the V-set. The protein mediates cellular adhesion of platelets and megakaryocytic cells to vascular endothelial cells. The protein also plays a role in megakaryocytic cell maturation.




订购热线: 4008-898-798


Applications

Immunohistochemistry

Predicted cell location: Cytoplasm Positive control: Human thyroid cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml160970(CD226 Antibody) at dilution 1/60, on the right is treated with synthetic peptide. (Original magnification: ×200)

ELISA

Recommended dilution: 2000-5000


联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Cytoplasm Positive control: Human gastric cancer

Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using ml160970(CD226 Antibody) at dilution 1/60, on the right is treated with synthetic peptide. (Original magnification: ×200)