

订购热线: 4008-898-798

# Anti-PLA2G16 antibody

**Cat. No.** ml163023

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-PLA2G16 rabbit polyclonal antibody

**Applications** ELISA, IHC

**Immunogen** Synthetic peptide of human PLA2G16

Reactivity Human, Mouse, Rat

Content0.5 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol PLA2G16

Full name phospholipase A2 group XVI

Synonyms AdPLA; HRSL3; HRASLS3; HREV107; HREV107-1; HREV107-3; H-REV107-1

Swissprot P53816

### **Target Background**

Secretory phopholipase A2 (PLA2) enzymes cleave an acyl ester bond in the sn-2 position of glycerophospholipids. These extracellular proteins have a high disulfide bond content, low molecular mass (14 kDa), and require mM levels of Ca2+ for catalysis. They play a crucial role in the generation of arachidonates and eicosanoids, and have a number of biological actions including immunological responses, inflammation, cellular proliferation, vasoconstriction, and bronchioconstriction. Exhibits PLA1/2 activity, catalyzing the calcium-independent hydrolysis of acyl groups in various phosphatidylcholines (PC) and phosphatidylethanolamine (PE). For most substrates, PLA1 activity is much higher than PLA2 activity. Specifically catalyzes the release of fatty acids from phospholipids in adipose tissue (By similarity). N- and O-acylation activity is hardly detectable. Might decrease protein phosphatase 2A (PP2A) activity.





订购热线: 4008-898-798

# **Applications**

## **Immunohistochemistry**

Predicted cell location: Cytoplasm Positive control: Human breast cancer Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human breast cancer tissue using ml163023(PLA2G16 Antibody) at dilution 1/25, on the right is treated with synthetic peptide. (Original magnification: ×200)

#### **ELISA**

Recommended dilution: 5000-10000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn