

订购热线: 4008-898-798

## Anti-MAGED1 antibody

**Cat. No.** ml163097

Package 25  $\mu$ l/100  $\mu$ l/200  $\mu$ l

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-MAGED1 rabbit polyclonal antibody

Applications ELISA, IHC

Immunogen Synthetic peptide of human MAGED1

Reactivity Human, Mouse, Rat

Content0.5 mg/mlHost speciesRabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol MAGED1

Full name MAGE family member D1

Synonyms NRAGE; DLXIN-1

Swissprot Q9Y5V3

## **Target Background**

This gene is a member of the melanoma antigen gene (MAGE) family. Most of the genes of this family encode tumor specific antigens that are not expressed in normal adult tissues except testis. Although the protein encoded by this gene shares strong homology with members of the MAGE family, it is expressed in almost all normal adult tissues. This gene has been demonstrated to be involved in the p75 neurotrophin receptor mediated programmed cell death pathway. Three transcript variants encoding two different isoforms have been found for this gene.




订购热线: 4008-898-798


## **Applications**

## **Immunohistochemistry**

Predicted cell location: Nucleus Positive control: Human gastric cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using ml163097(MAGED1 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)

**ELISA** 

Recommended dilution: 2000-5000

联系电话: 4008-898-798, 021-61725725


联系QQ: 2881505695, 2881505696


邮箱: mlbio\_cn@yeah.net 网址: www.mlbio.cn

Predicted cell location: Nucleus

Positive control: Human thyroid cancer

Recommended dilution: 25-100





The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ml163097(MAGED1 Antibody) at dilution 1/20, on the right is treated with synthetic peptide. (Original magnification: ×200)