

订购热线: 4008-898-798

# Anti-ADD2 antibody

**Cat. No.** ml221519

**Package** 25 μl/100 μl/200 μl

**Storage** -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Product overview** 

**Description** Anti-ADD2 rabbit polyclonal antibody

Applications ELISA, IHC

**Immunogen** Fusion protein of human ADD2

Reactivity Human

Content 0.1 mg/ml

Host species Rabbit

Ig classImmunogen-specific rabbit IgGPurificationAntigen affinity purification

**Target information** 

Symbol ADD2

Full name adducin 2 (beta)

SynonymsADDBSwissprotP35612

### **Target Background**

Adducins are heteromeric proteins composed of different subunits referred to as adducin alpha, beta and gamma. The three subunits are encoded by distinct genes and belong to a family of membrane skeletal proteins involved in the assembly of spectrin-actin network in erythrocytes and at sites of cell-cell contact in epithelial tissues. While adducins alpha and gamma are ubiquitously expressed, the expression of adducin beta is restricted to brain and hematopoietic tissues. Adducin, originally purified from human erythrocytes, was found to be a heterodimer of adducins alpha and beta. Polymorphisms resulting in amino acid substitutions in these two subunits have been associated with the regulation of blood pressure in an animal model of hypertension. Heterodimers consisting of alpha and gamma subunits have also been described. Structurally, each subunit is comprised of two distinct domains. The amino-terminal region is protease resistant and globular in shape, while the carboxy-terminal region is protease sensitive. The latter contains multiple phosphorylation sites for protein kinase C, the binding site for calmodulin, and is required for association with spectrin and actin. Alternatively spliced transcript variants have been described.





订购热线: 4008-898-798

## **Applications**

## **Immunohistochemistry**

Predicted cell location: Cytoplasm Positive control: Human brain Recommended dilution: 15-50





The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using ml221519(ADD2 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)

#### **ELISA**

Recommended dilution: 1000-2000

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695, 2881505696

邮箱: mlbio\_cn@yeah.net

网址: www.mlbio.cn