

Anti-FHIT antibody

 Cat. No.
 ml222369

 Package
 25 μl/100 μl/200 μl

 Storage
 -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product overview
Description
Applications
Immunogen
Reactivity
Content
Host species
lg class
Purification

Anti-FHIT rabbit polyclonal antibody ELISA, IHC Fusion protein of human FHIT Human, Mouse, Rat 0.6 mg/ml Rabbit Immunogen-specific rabbit IgG Antigen affinity purification

Target information Symbol Full name Synonyms Swissprot FHIT fragile histidine triad FRA3B; AP3Aase P49789

Target Background

This gene, a member of the histidine triad gene family, encodes a diadenosine 5',5"'-P1,P3-triphosphate hydrolase involved in purine metabolism. The gene encompasses the common fragile site FRA3B on chromosome 3, where carcinogeninduced damage can lead to translocations and aberrant transcripts of this gene. In fact, aberrant transcripts from this gene have been found in about half of all esophageal, stomach, and colon carcinomas. Alternatively spliced transcript variants have been found for this gene.




订购热线: 4008-898-798

Applications Immunohistochemistry


ELISA


Predicted cell location: Cytoplasm Positive control: Human colon cancer Recommended dilution: 50-200



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using ml222369(FHIT Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

Predicted cell location: Cytoplasm Positive control: Human cervical cancer Recommended dilution: 50-200





The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using ml222369(FHIT Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: ×200)

联系电话: 4008-898-798, 021-61725725

联系QQ: 2881505695,2881505696

邮箱: mlbio_cn@yeah.net 网址: www.mlbio.cn

Recommended dilution: 2000-5000