

## 兔抗 ACOT9 多克隆抗体

中文名称：兔抗 ACOT9 多克隆抗体

英文名称：Anti-ACOT9 rabbit polyclonal antibody

别名：ACATE2; CGI-16; MTACTION48; MT-ACT48

相关类别：一抗

抗原：ACOT9

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | The protein encoded by this gene is a mitochondrial acyl-CoA thioesterase of unknown function. Two transcript variants encoding different isoforms have been found for this gene. Acyl-CoA thioesterases are a group of enzymes that catalyze the hydrolysis of acyl-CoAs to the free fatty acid and coenzyme A (CoASH), providing the potential to regulate intracellular levels of acyl-CoAs, free fatty acids and CoASH. Active on long chain acyl-CoAs. |
| <b>Applications:</b>     | ELISA, WB, IHC  |
| <b>Name of antibody:</b> | ACOT9   |

|                                    |                                      |
|------------------------------------|--------------------------------------|
| <b>Immunogen:</b>                  | Fusion protein of human ACOT9        |
| <b>Full name:</b>                  | Acyl-CoA thioesterase 9              |
| <b>Synonyms :</b>                  | ACATE2; CGI-16; MTACTION48; MT-ACT48 |
| <b>SwissProt:</b>                  | Q9Y305                               |
| <b>ELISA Recommended dilution:</b> | 2000-5000                            |
| <b>IHC positive control:</b>       | Human colon cancer                   |
| <b>IHC Recommend dilution:</b>     | 10-50                                |
| <b>WB Predicted band size:</b>     | 50 kDa                               |
| <b>WB Positive control:</b>        | MCF7 and A172 cells                  |
| <b>WB Recommended dilution:</b>    | 500-2000                             |



