

兔抗 ADCY5/6 多克隆抗体

中文名称：兔抗 ADCY5/6 多克隆抗体

英文名称： Anti-ADCY5/6 rabbit polyclonal antibody

别名： AC5; FDFM/AC6

抗原： ADCY5/6

储存： 冷冻（-20℃） 避光

宿主： Rabbit

反应种属： Human

相关类别： 一抗

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes adenylate cyclase 6, which is a membrane-associated enzyme and catalyzes the formation of the secondary messenger cyclic adenosine monophosphate (cAMP). The expression of this gene is found in normal thyroid and brain tissues, as well as some tumors; and its expression is significantly higher in one hyperfunctioning thyroid tumor than in normal thyroid tissue. Alternative splicing generates 2 transcript variants. |
| Applications: | IHC, IF |
| Name of antibody: | ADCY5/6 |
| Immunogen: | Synthesized peptide derived from internal of human ADC |

| | |
|--------------------------------|-----------------------|
| | Y5/6. |
| Full name: | adenylate cyclase 5/6 |
| Synonyms : | AC5; FDFM/AC6 |
| SwissProt: | O43306/O95622 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| IF positive control: | Hela cells |
| IF Recommend dilution: | 100-500 |



