

兔抗 AGA 多克隆抗体

中文名称：兔抗 AGA 多克隆抗体

英文名称：Anti-AGA rabbit polyclonal antibody

别名：GA; AGU; ASRG

相关类别：一抗

抗原：AGA

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Aspartylglucosaminidase is involved in the catabolism of N-linked oligosaccharides of glycoproteins. It cleaves asparagine from N-acetylglucosamines as one of the final steps in the lysosomal breakdown of glycoproteins. The lysosomal storage disease aspartylglycosaminuria is caused by a deficiency in the AGA enzyme. Alternatively spliced transcript variants have been identified.
Applications:	ELISA, WB, IHC
Name of antibody:	AGA
Immunogen:	Fusion protein of human AGA
Full name:	Aspartylglucosaminidase

Synonyms :	GA; AGU; ASRG
SwissProt:	P20933
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human breast cancer and Human lung cancer
IHC Recommend dilution:	15-50
WB Predicted band size:	37 kDa
WB Positive control:	Mouse kidney tissue, human testis and thyroid cancer tissue
WB Recommended dilution:	200-1000



