

兔抗 AKR1C1 多克隆抗体

中文名称: 兔抗 AKR1C1 多克隆抗体

英文名称: Anti-AKR1C1 rabbit polyclonal antibody

别 名: C9; DD1; DDH; DDH1; H-37; HBAB; MBAB; HAKRC; DD1/DD2; 2-ALPHA-HSD; 20-ALPHA-HSD

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: AKR1C1

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

mes and proteins. These enzymes catalyze the conversion of aldehydes and ketones to their corresponding alcohols by utilizing NADH and/or NADPH as cofactors. The enzy mes display overlapping but distinct substrate specificity. This enzyme catalyzes the reaction of progesterone to the inactive form 20-alpha-hydroxy-progesterone. This gene shares high sequence identity with three other gene me

This gene encodes a member of the aldo/keto reductase superfamily, which consists of more than 40 known enzy

mbers and is clustered with those three genes at chromo



	some 10p15-p14.
Applications:	ELISA, IHC
Name of antibody:	AKR1C1
Immunogen:	Synthetic peptide of human AKR1C1
Full name:	Aldo-keto reductase family 1, member C1
Synonyms:	C9; DD1; DDH; DDH1; H-37; HBAB; MBAB; HAKRC; DD1/DD2; 2-ALPHA-HSD; 20-ALPHA-HSD
SwissProt:	Q04828
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and Human breast cancer
IHC Recommend dilution:	25-100

