

兔抗 ANAPC15 多克隆抗体

中文名称：兔抗 ANAPC15 多克隆抗体

英文名称：Anti-ANAPC15 rabbit polyclonal antibody

别名：APC15; HSPC020; C11orf51

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ANAPC15

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

ANAPC15 is a component of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated E3 ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle. In the complex, it plays a role in the release of the mitotic checkpoint complex (MCC) from the APC/C: not required for APC/C activity itself, but promotes the turnover of CDC20 and MCC on the APC/C, thereby participating to the responsiveness of the spindle assembly checkpoint. It is also required for degradation of CDC20.

| | |
|------------------------------------|---|
| Applications: | ELISA, IHC |
| Name of antibody: | ANAPC15 |
| Immunogen: | Synthetic peptide of human ANAPC15 |
| Full name: | anaphase promoting complex subunit 15 |
| Synonyms: | APC15; HSPC020; C11orf51 |
| SwissProt: | P60006 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human ovarian cancer and human gastric cancer |
| IHC Recommend dilution: | 40-200 |



