

## 兔抗 CLN5 多克隆抗体

中文名称：兔抗 CLN5 多克隆抗体

英文名称：Anti-CLN5 rabbit polyclonal antibody

别名：ceroid-lipofuscinosis, neuronal 5; NCL

相关类别：一抗

抗原：CLN5

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | This gene is one of eight which have been associated with neuronal ceroid lipofuscinoses (NCL). Also referred to as Batten disease, NCL comprises a class of autosomal recessive, neurodegenerative disorders affecting children. The genes responsible likely encode proteins involved in the degradation of post-translationally modified proteins in lysosomes. The primary defect in NCL disorders is thought to be associated with lysosomal storage function. |
| <b>Applications:</b>     | ELISA, WB, IHC  |
| <b>Name of antibody:</b> | CLN5  |

|                                    |                                   |
|------------------------------------|-----------------------------------|
| <b>Immunogen:</b>                  | Synthetic peptide of human CLN5   |
| <b>Full name:</b>                  | ceroid-lipofuscinosis, neuronal 5 |
| <b>Synonyms:</b>                   | NCL                               |
| <b>SwissProt:</b>                  | O75503                            |
| <b>ELISA Recommended dilution:</b> | 5000-10000                        |
| <b>IHC positive control:</b>       | Human liver cancer                |
| <b>IHC Recommend dilution:</b>     | 40-200                            |
| <b>WB Predicted band size:</b>     | 41 kDa                            |
| <b>WB Positive control:</b>        | 231 cell lysate                   |
| <b>WB Recommended dilution:</b>    | 200-1000                          |



