

兔抗 CLOCK 多克隆抗体

中文名称：兔抗 CLOCK 多克隆抗体

英文名称： Anti-CLOCK rabbit polyclonal antibody

别名： KAT13D; bHLHe8

相关类别： 一抗

储存： 冷冻（-20℃） 避光

抗原： CLOCK

宿主： Rabbit

反应种属： Human Mouse Rat

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	The protein encoded by this gene plays a central role in the regulation of circadian rhythms. The protein encodes a transcription factor of the basic helix-loop-helix (bHLH) family and contains DNA binding histone acetyltransferase activity. The encoded protein forms a heterodimer with ARNTL (BMAL1) that binds E-box enhancer elements upstream of Period (PER1, PER2, PER3) and Cryptochrome (CRY1, CRY2) genes and activates transcription of these genes.
Applications:	WB, IHC
Name of antibody:	CLOCK

Immunogen:	Synthesized peptide derived from Internal of human Clock.
Full name:	clock circadian regulator
Synonyms :	KAT13D; bHLHe8
SwissProt:	O15516
IHC positive control:	Human skeletal muscle tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	95 kDa
WB Positive control:	Huvec cells lysate
WB Recommended dilution:	500-3000



