

兔抗 ARPC4 多克隆抗体

中文名称：兔抗 ARPC4 多克隆抗体

英文名称： Anti-ARPC4 rabbit polyclonal antibody

别名： ARC20; P20-ARC

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： ARPC4

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes one of seven subunits of the human Arp2/3 protein complex. This complex controls actin polymerization in cells and has been conserved throughout eukaryotic evolution. This gene encodes the p20 subunit, which is necessary for actin nucleation and high-affinity binding to F-actin. Alternative splicing results in multiple transcript variants. Naturally occurring read-through transcription exists between this gene and the downstream tubulin tyrosine ligase-like family, member 3 (TLL3), which results in the production of a fusion prot

	ein.
Applications:	ELISA, WB, IHC
Name of antibody:	ARPC4
Immunogen:	Synthetic peptide of human ARPC4
Full name:	actin related protein 2/3 complex, subunit 4, 20kD a
Synonyms :	ARC20; P20-ARC
SwissProt:	P59998
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and human gastric cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	20 kDa
WB Positive control:	Mouse brain tissue
WB Recommended dilution:	200-1000



