

兔抗 COPE 多克隆抗体

- 中文名称：兔抗 COPE 多克隆抗体
- 英文名称：Anti-COPE rabbit polyclonal antibody
- 别名：coatomer protein complex subunit epsilon epsilon-COP
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 抗原：COPE
- 宿主：Rabbit
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	The product of this gene is an epsilon subunit of coatomer protein complex. Coatomer is a cytosolic protein complex that binds to dilysine motifs and reversibly associates with Golgi non-clathrin-coated vesicles. It is required for budding from Golgi membranes, and is essential for the retrograde Golgi-to-ER transport of dilysine-tagged proteins. Coatomer complex consists of at least the alpha, beta, beta', gamma, delta, epsilon and zeta subunits. Alternatively spliced transcript variants encoding different isoforms have been identified.
Applications:	ELISA, WB

Name of antibody:	COPE
Immunogen:	Fusion protein of human COPE
Full name:	coatomer protein complex subunit epsilon
Synonyms:	epsilon-COP
SwissProt:	O14579
ELISA Recommended dilution:	5000-10000
WB Predicted band size:	34 kDa
WB Positive control:	PC-3 , A375 and Hela cell lysates
WB Recommended dilution:	200-1000



