

兔抗 ATF2 (Phospho-Ser62 or 44)多克隆抗体

中文名称：兔抗 ATF2 (Phospho-Ser62 or 44)多克隆抗体

英文名称：Anti-ATF2 (Phospho-Ser62 or 44) rabbit polyclonal antibody

别名：HB16; CREB2; TREB7; CRE-BP1

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：ATF2 (Phospho-Ser62 or 44)

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Transcriptional activator, probably constitutive, which binds to the cAMP-responsive element (CRE) (consensus: 5'-GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters. Interaction with JUN redirects JUN to bind to CREs preferentially over the 12-O-tetradecanoyl phorbol-13-acetate response elements (TREs) as part of an ATF2-c-Jun complex.
Applications:	WB, IHC
Name of antibody:	ATF2 (Phospho-Ser62 or 44)
Immunogen:	Synthetic peptide of human ATF2 (Phospho-Ser62 or 44)
Full name:	activating transcription factor 2 (Phospho-Ser62 or 44)

Synonyms :	HB16; CREB2; TREB7; CRE-BP1
SwissProt:	P15336
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	65-75 kDa
WB Positive control:	MDA231 cells treated with UV
WB Recommended dilution:	500-1000



