

兔抗 ATP5D 多克隆抗体

中文名称：兔抗 ATP5D 多克隆抗体

英文名称： Anti-ATP5D rabbit polyclonal antibody

抗 原： ATP5D

储 存： 冷冻（-20℃） 避光

宿 主： Rabbit

反应种属： Human Mouse

相关类别： 一抗

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:

Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F1 - containing the extramembraneous catalytic core, and F0 - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP turnover in the catalytic domain of F1 is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F1 domain and of the central stalk which is part of the complex rotary element. Rotation of the central stalk against the surrounding alpha3beta3 subunits leads to hydrolysis

	is of ATP in three separate catalytic sites on the beta subunits. HAMAP-Rule MF_00530
Applications:	IHC, IF
Name of antibody:	ATP5D
Immunogen:	Synthesized peptide derived from internal of human ATP5D.
Full name:	putative transcriptional regulator slyA-like, MarR family
Synonyms :	0
SwissProt:	P30049
IHC positive control:	Human lung carcinoma tissue
IHC Recommend dilution:	50-100
IF positive control:	A549 cells
IF Recommend dilution:	100-500



