

DCTN2 抗原(重组蛋白)

中文名称: DCTN2 抗原(重组蛋白)

英文名称: DCTN2 Antigen (Recombinant Protein)

别 名: RBP50; DCTN50; HEL-S-77; DYNAMITIN

储 存: 冷冻(-20℃)

相关类别: 抗原

概述

Full length fusion protein

技术规格

| Full name: | dynactin 2 (p50) |
|--------------------|--|
| Synonyms: | RBP50; DCTN50; HEL-S-77; DYNAMITIN |
| Swissprot: | Q13561 |
| Gene Accession: | BC000718 |
| Purity: | >85%, as determined by Coomassie blue stained SDS-PAGE |
| Expression system: | Escherichia coli |
| Tags: | His tag C-Terminus, GST tag N-Terminus |
| Background: | This gene encodes a 50-kD subunit of dynactin, a macromolecular c omplex consisting of 10-11 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-G olgi transport, the centripetal movement of lysosomes and endosom es, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 4-5 copies per dynacti |



n molecule. It contains three short alpha-helical coiled-coil domains that may mediate association with self or other dynactin subunits.