

## 兔抗 CSNK1A1(Phospho-Tyr294) 多克隆抗体

中文名称：兔抗 CSNK1A1(Phospho-Tyr294) 多克隆抗体

英文名称： Anti-CSNK1A1(Phospho-Tyr294) rabbit polyclonal antibody

别名： CK1; CK1a; CKIa; HLCDGP1; PRO2975; HEL-S-77p

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： CSNK1A1(Phospho-Tyr294)

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	Casein kinases are operationally defined by their preferential utilization of acidic proteins such as caseins as substrates. It can phosphorylate a large number of proteins. Participates in Wnt signaling. Phosphorylates CTNNB1 at 'Ser-45'. May play a role in segregating chromosomes during mitosis.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	CSNK1A1(Phospho-Tyr294)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of tyrosine

	294 (Y-D-Y(p)-T-F) derived from Human CK-1 $\alpha$ .
<b>Full name:</b>	casein kinase 1, alpha 1
<b>Synonyms :</b>	CK1; CK1a; CKIa; HLCDGP1; PRO2975; HEL-S-77p
<b>SwissProt:</b>	P48729/Q8N752
<b>IHC positive control:</b>	Human brain tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	39 kDa
<b>WB Positive control:</b>	HT29 cells lysates treated with heat shock
<b>WB Recommended dilution:</b>	500-1000



