

## 兔抗 ATXN7L3 多克隆抗体

中文名称：兔抗 ATXN7L3 多克隆抗体

英文名称： Anti-ATXN7L3 rabbit polyclonal antibody

相关类别： 一抗

储 存： 冷冻 (-20℃)

宿 主： Rabbit

抗 原： ATXN7L3

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	Component of the transcription regulatory histone acetylation (HAT) complex SAGA, a multiprotein complex that activates transcription by remodeling chromatin and mediating histone acetylation and deubiquitination. Within the SAGA complex, participates in a subcomplex that specifically deubiquitinates both histones H2A and H2B. The SAGA complex is recruited to specific gene promoters by activators such as MYC, where it is required for transcription. Required for nuclear receptor-mediated transactivation. Within the complex, it is required to recruit USP22 and ENY2 into the SAGA complex.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	ATXN7L3
<b>Immunogen:</b>	Fusion protein of human ATXN7L3
<b>Full name:</b>	ataxin 7-like 3
<b>SwissProt:</b>	Q14CW9
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human brain and human esophagus cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	39 kDa
<b>WB Positive control:</b>	Hela and Raji cell lysates
<b>WB Recommended dilution:</b>	500-2000



