

## 兔抗 CTBP1(Phospho-Ser422) 多克隆抗体

中文名称：兔抗 CTBP1(Phospho-Ser422) 多克隆抗体

英文名称： Anti-CTBP1(Phospho-Ser422) rabbit polyclonal antibody

别名： BARS

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： CTBP1(Phospho-Ser422)

反应种属： Human Mouse Rat

标记物： Unconjugate

克隆类型： Unconjugate

### 技术规格

|                      |   |
|----------------------|---|
| <b>Background:</b>   | This gene encodes a protein that binds to the C-terminus of adenovirus E1A proteins. This phosphoprotein is a transcriptional repressor and may play a role during cellular proliferation. This protein and the product of a second closely related gene, CTBP2, can dimerize. Both proteins can also interact with a polycomb group protein complex which participates in regulation of gene expression during development. Alternative splicing of transcripts from this gene results in multiple transcript variants. [provided by RefSeq, Jul 2008] |
| <b>Applications:</b> | WB, IHC   |

|                                 |  |
|---------------------------------|--|
| <b>Name of antibody:</b>        | CTBP1(Phospho-Ser422)  |
| <b>Immunogen:</b>               | Peptide sequence around phosphorylation site of Serine 422(A-P-S(p)-P-G) derived from Human CtBP1. |
| <b>Full name:</b>               | C-terminal binding protein 1   |
| <b>Synonyms :</b>               | BARS   |
| <b>SwissProt:</b>               | Q13363   |
| <b>IHC positive control:</b>    | Human brain tissue   |
| <b>IHC Recommend dilution:</b>  | 50-100   |
| <b>WB Predicted band size:</b>  | 48 kDa   |
| <b>WB Positive control:</b>     | Jurkat cells lysates treated with TNF  |
| <b>WB Recommended dilution:</b> | 500-1000   |



