

兔抗 BCL2L1 多克隆抗体

- 中文名称: 兔抗 BCL2L1 多克隆抗体
- 英文名称: Anti-BCL2L1 rabbit polyclonal antibody
- 别名: BCLX, BCL2L, BCLXL, BCLXS, Bcl-X, bcl-xL, bcl-xS, PPP1R52, BCL-XL/S
- 抗原: BCL2L1
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members form hetero- or ho modimers and act as anti- or pro-apoptotic regulators th at are involved in a wide variety of cellular activities. The proteins encoded by this gene are located at the outer mitochondrial membrane, and have been shown to regul ate outer mitochondrial membrane channel (VDAC) openi ng. VDAC regulates mitochondrial membrane potential, a nd thus controls the production of reactive oxygen speci es and release of cytochrome C by mitochondria, both of
	which are the potent inducers of cell apoptosis. Two alte



	rnatively spliced transcript variants, which encode distinct isoforms, have been reported. The longer isoform acts as an apoptotic inhibitor and the shorter form acts as an ap optotic activator.
Applications:	ELISA, WB
Name of antibody:	BCL2L1
Immunogen:	Fusion protein of human BCL2L1
Full name:	BCL2-like 1
Synonyms :	BCLX, BCL2L, BCLXL, BCLXS, Bcl-X, bcl-xL, bcl-xS, PPP1R52 , BCL-XL/S
SwissProt:	Q07817
ELISA Recommended dilution:	1000-5000
WB Predicted band size:	26 kDa
WB Positive control:	Human cervical cancer tissue
WB Recommended dilution:	500-2000

