

## MYD88 抗原（重组蛋白）

中文名称：MYD88 抗原（重组蛋白）

英文名称：MYD88 Antigen (Recombinant Protein)

别名：MYD88D

储存：冷冻（-20℃）

相关类别：抗原

概述

Full length fusion protein

技术规格

|                           |  |
|---------------------------|--|
| <b>Full name:</b>         | myeloid differentiation primary response 88  |
| <b>Synonyms:</b>          | MYD88D   |
| <b>Swissprot:</b>         | Q99836   |
| <b>Gene Accession:</b>    | BC013589   |
| <b>Purity:</b>            | >85%, as determined by Coomassie blue stained SDS-PAGE   |
| <b>Expression system:</b> | Escherichia coli   |
| <b>Tags:</b>              | His tag C-Terminus, GST tag N-Terminus   |
| <b>Background:</b>        | This gene encodes a cytosolic adapter protein that plays a central role in the innate and adaptive immune response. This protein functions as an essential signal transducer in the interleukin-1 and Toll-like receptor signaling pathways. These pathways regulate that activation of numerous proinflammatory genes. The encoded protein consists of an N-terminal death domain and a C-terminal Toll-interleukin1 receptor domain. Patients with defects in this gene have an incr |

eased susceptibility to pyogenic bacterial infections. Alternate splicing results in multiple transcript variants.