

兔抗 CYP4F12 多克隆抗体

中文名称：兔抗 CYP4F12 多克隆抗体

英文名称： Anti-CYP4F12 rabbit polyclonal antibody

别名： CYP4F12; F22329_1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： CYP4F12

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein likely localizes to the endoplasmic reticulum. When expressed in yeast the enzyme is capable of oxidizing arachidonic acid. It can also catalyze the epoxidation of 22:6n-3 and 22:5n-3 polyunsaturated long-chain fatty acids. This gene is part of a cluster of cytochrome P450 genes on chromosome 19. Alternative splicing results

	in multiple transcript variants.
Applications:	ELISA, IHC
Name of antibody:	CYP4F12
Immunogen:	Fusion protein corresponding to a region derived from 325-524 amino acids of human CYP4F12
Full name:	cytochrome P450 family 4 subfamily F member 12
Synonyms:	CYP11F12; F22329_1
SwissProt:	Q9HCS2
ELISA Recommended dilution:	5000-10000
IHC Positive control:	Human gastric cancer; Human liver cancer
IHC Recommended dilution:	20-100



