

## 兔抗 CYTH3 多克隆抗体

中文名称：兔抗 CYTH3 多克隆抗体

英文名称：Anti-CYTH3 rabbit polyclonal antibody

别名：cytohesin 3 GRP1; ARNO3; PSCD3; cytohesin-3

储存：冷冻（-20℃）

抗原：CYTH3

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

#### Background:

This gene encodes a member of the PSCD (pleckstrin homology, Sec7 and coiled-coil domains) family. PSCD family members have identical structural organization that consists of an N-terminal coiled-coil motif, a central Sec7 domain, and a C-terminal pleckstrin homology (PH) domain. The coiled-coil motif is involved in homodimerization, the Sec7 domain contains guanine-nucleotide exchange protein (GEP) activity, and the PH domain interacts with phospholipids and is responsible for association of PSCDs with membranes. Members of this family appear to mediate the regulation of pr

	rotein sorting and membrane trafficking. This encoded protein is involved in the control of Golgi structure and function, and it may have a physiological role in regulating ADP-ribosylation factor protein 6 (ARF) functions, in addition to acting on ARF1.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	CYTH3
<b>Immunogen:</b>	Fusion protein of human CYTH3
<b>Full name:</b>	cytohesin 3
<b>Synonyms:</b>	GRP1; ARNO3; PSCD3; cytohesin-3
<b>SwissProt:</b>	O43739
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer
<b>IHC Recommend dilution:</b>	25-100



