

兔抗 DAAM1 多克隆抗体

中文名称: 兔抗 DAAM1 多克隆抗体

英文名称: Anti-DAAM1 rabbit polyclonal antibody

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: DAAM1

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Cell motility, adhesion, cytokinesis, and other functions of the cell cortex are mediated by reorganization of the actin cytoskeleton and several formin homology (FH) proteins have been associated with these processes. The protein encoded by this gene contains two FH domains and belongs to a novel FH protein subfamily implicated in cell polarity. A key regulator of cytoskeletal architecture, the small GTPase Rho, is activated during development by Wnt/Fz signaling to control cell polarity and movement. The protein encoded by this gene is thought to function as a scaffolding protein for the Wnt-induced assembly of a disheveled (DvI)-Rho complex.



Applications:	ELISA, WB, IHC
Name of antibody:	DAAM1
Immunogen:	Synthetic peptide of human DAAM1
Full name:	dishevelled associated activator of morphogenesis 1
SwissProt:	Q9Y4D1
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer and Human gastric cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	123 kDa
WB Positive control:	Hela and 293T cells
WB Recommended dilution:	200-1000





