

## 兔抗 BTN1A1 多克隆抗体

- 中文名称：兔抗 BTN1A1 多克隆抗体
- 英文名称：Anti-BTN1A1 rabbit polyclonal antibody
- 别名：butyrophilin subfamily 1 member A1; BT; BTN; BTN1
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：BTN1A1
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Butyrophilin is the major protein associated with fat droplets in the milk. It is a member of the immunoglobulin superfamily. It may have a cell surface receptor function. The human butyrophilin gene is localized in the major histocompatibility complex (MHC) class I region of 6p and may have arisen relatively recently in evolution by the shuffling of exons between 2 ancestral gene families.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	BTN1A1
<b>Immunogen:</b>	Fusion protein of human BTN1A1

<b>Full name:</b>	butyrophilin subfamily 1 member A1
<b>Synonyms:</b>	BT; BTN; BTN1
<b>SwissProt:</b>	Q13410
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human cervical cancer
<b>IHC Recommend dilution:</b>	150-300
<b>WB Predicted band size:</b>	59 kDa
<b>WB Positive control:</b>	HepG2 cell lysate
<b>WB Recommended dilution:</b>	1000-5000



