

兔抗 DDOST 多克隆抗体

中文名称: 兔抗 DDOST 多克隆抗体

英文名称: Anti-DDOST rabbit polyclonal antibody

别 名: OST; WBP1; AGER1; CDG1R; OST48; OKSWcl45

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: DDOST

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a component of the oligosaccharylt ransferase complex which catalyzes the transfer of hig h-mannose oligosaccharides to asparagine residues on
	nascent polypeptides in the lumen of the rough endo
	plasmic reticulum. The protein complex co-purifies wit
	h ribosomes. The product of this gene is also implicat
	ed in the processing of advanced glycation endproduc
	ts (AGEs), which form from non-enzymatic reactions b
	etween sugars and proteins or lipids and are associate
	d with aging and hyperglycemia.
Applications:	ELISA, WB, IHC



Name of antibody:	DDOST
Immunogen:	Fusion protein of human DDOST
Full name:	dolichyl-diphosphooligosaccharideprotein glycosyltran sferase non-catalytic subunit
Synonyms:	OST; WBP1; AGER1; CDG1R; OST48; OKSWcl45
SwissProt:	P39656
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	51 kDa
WB Positive control:	A172, HepG2 and LOVO cell lysates
WB Recommended dilution:	200-1000





