

## 兔抗 DDX19B 多克隆抗体

中文名称：兔抗 DDX19B 多克隆抗体

英文名称：Anti-DDX19B rabbit polyclonal antibody

别名：DBP5; RNAh; DDX19

相关类别：一抗

抗原：DDX19B

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

**Background:**

DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which exhibits RNA-dependent ATPase and ATP-dependent RNA-u

	nwinding activities. This protein is recruited to the cytoplasmic fibrils of the nuclear pore complex, where it participates in the export of mRNA from the nucleus. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	DDX19B
<b>Immunogen:</b>	Fusion protein of human DDX19B
<b>Full name:</b>	DEAD (Asp-Glu-Ala-Asp) box polypeptide 19B
<b>Synonyms :</b>	DBP5; RNAh; DDX19
<b>SwissProt:</b>	Q9UMR2
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human tonsil and human breast cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	54 kDa
<b>WB Positive control:</b>	Hela and 293T cells
<b>WB Recommended dilution:</b>	500-2000



