

## 兔抗 CALCOCO1 多克隆抗体

中文名称: 兔抗 CALCOCO1 多克隆抗体

英文名称: Anti-CALCOCO1 rabbit polyclonal antibody

别名: calcium binding and coiled-coil domain 1; Cocoa; PP13275; calphoglin

抗原: CALCOCO1

储存: 冷冻 (-20℃)

宿主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标记物: Unconjugate


克隆类型: rabbit polyclonal



### 技术规格

#### Background:

CALCOCO1 (calcium-binding and coiled-coil domain-containing protein 1), also known as cocoa, calphoglin, sarcoma antigen NY-SAR-3 or coiled-coil coactivator protein, is a 691 amino acid protein that shuttles between the cytoplasm and nucleus and functions as coactivator for aryl hydrocarbon and nuclear receptors. A member of the CALCOCO family, CALCOCO1 forms a calphoglin complex with PPA1 and PGM 1 and contains multiple functional domains through which it acts as a component of both the androgen signaling pathway and the Wnt/ $\beta$ -catenin signaling pathway. CALCO

	CO1 exists as three alternatively spliced isoforms (termed Q9P1Z2-1, 2 and 3), which are encoded by genes mapping to human chromosome 12q13.13 and mouse chromosome 15 F3.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	CALCOCO1
<b>Immunogen:</b>	Fusion protein of human CALCOCO1
<b>Full name:</b>	calcium binding and coiled-coil domain 1
<b>Synonyms:</b>	Cocoa; PP13275; calphoglin
<b>SwissProt:</b>	Q9P1Z2
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human cervical cancer and Human esophagus cancer
<b>IHC Recommend dilution:</b>	30-150





**mlbio** 梅联生物  
Good elisakit producers