

## 兔抗 CAMSAP3 多克隆抗体

中文名称：兔抗 CAMSAP3 多克隆抗体

英文名称： Anti-CAMSAP3 rabbit polyclonal antibody

别名： calmodulin regulated spectrin associated protein family member 3; NEZHA; PPP1R80; KIAA1543

相关类别： 一抗

储存： 冷冻（-20℃）

抗原： CAMSAP3

宿主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

**Background:**

Key microtubule-organizing protein that specifically binds the minus-end of non-centrosomal microtubules and regulates their dynamics and organization (PubMed:19041755, PubMed:23169647). Specifically recognizes growing microtubule minus-ends and autonomously decorates and stabilizes microtubule lattice formed by microtubule minus-end polymerization (PubMed:24486153). Acts on free microtubule minus-ends that are not capped by microtubule-nucleating proteins or other factors and protects microtubule minus-ends from depoly

	<p>merization (PubMed:24486153). In addition, it also reduces the velocity of microtubule polymerization (PubMed:24486153). Required for the biogenesis and the maintenance of zonula adherens by anchoring the minus-end of microtubules to zonula adherens and by recruiting the kinesin KIFC3 to those junctional sites (PubMed:19041755). Required for orienting the apical-to-basal polarity of microtubules in epithelial cells: acts by tethering non-centrosomal microtubules to the apical cortex, leading to their longitudinal orientation (PubMed:27802168, PubMed:26715742). Plays a key role in early embryos, which lack centrosomes: accumulates at the microtubule bridges that connect pairs of cells and enables the formation of a non-centrosomal microtubule-organizing center that directs intracellular transport in the early embryo (By similarity). Couples non-centrosomal microtubules with actin: interaction with MACF1 at the minus ends of non-centrosomal microtubules, tethers the microtubules to actin filaments, regulating focal adhesion size and cell migration (PubMed:27693509). Plays a key role in the generation of non-centrosomal microtubules by accumulating in the pericentrosomal region and cooperating with KATNA1 to release non-centrosomal microtubules from the centrosome (PubMed:28386021). Through the microtubule cytoskeleton, also regulates the organization of cellular organelles including the Golgi and the early endosomes (PubMed:28089391). Through interaction with AKAP9, involved in translocation of Golgi vesicles in epithelial cells, where microtubules are mainly non-centrosomal (PubMed:28089391).</p>
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	CAMSAP3
<b>Immunogen:</b>	Synthetic peptide of human CAMSAP3
<b>Full name:</b>	calmodulin regulated spectrin associated protein family member 3
<b>Synonyms:</b>	NEZHA; PPP1R80; KIAA1543
<b>SwissProt:</b>	Q9P1Y5
<b>ELISA Recommended dilution:</b>	5000-10000

<b>IHC positive control:</b>	Human cervical cancer
<b>IHC Recommend dilution:</b>	100-300

