

兔抗 CAPN7 多克隆抗体

- 中文名称: 兔抗 CAPN7 多克隆抗体
- 英文名称: Anti-CAPN7 rabbit polyclonal antibody
- 别名: PALBH; CALPAIN7
- 储存: 冷冻 (-20℃)
- 抗 原: CAPN7
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	Calpains are ubiquitous, well-conserved family of calciu m-dependent, cysteine proteases. The calpain proteins a re heterodimers consisting of an invariant small subunit and variable large subunits. The large subunit possesses a cysteine protease domain, and both subunits possess calcium-binding domains. Calpains have been implicated in neurodegenerative processes, as their activation can be triggered by calcium influx and oxidative stress. The function of the protein encoded by this gene is not kn own. An orthologue has been found in mouse but it se
	own. An orthologue has been found in mouse but it se ems to diverge from other family members. The mouse



	orthologue is thought to be calcium independent with protease activity.
Applications:	ELISA, WB, IHC
Name of antibody:	CAPN7
Immunogen:	Fusion protein of human CAPN7
Full name:	calpain 7
Synonyms :	PALBH; CALPAIN7
SwissProt:	Q9Y6W3
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	93 kDa
WB Positive control:	Human normal liver and mouse liver tissue, mouse intes tines and pancreas tissue, hepg2 and HT-29 cells, mous e heart tissue
WB Recommended dilution:	500-2000





