

兔抗 CCL1 多克隆抗体

中文名称：兔抗 CCL1 多克隆抗体

英文名称： Anti-CCL1 rabbit polyclonal antibody

别名： P500; S1Se; TCA3; I-309; SCYA1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： CCL1

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

This antimicrobial gene is one of several chemokine genes clustered on the q-arm of chromosome 17. Chemokines form a superfamily of secreted proteins involved in immunoregulatory and inflammatory processes. The superfamily is divided into four subfamilies based on the arrangement of the N-terminal cysteine residues of the mature peptide. This chemokine, a member of the CC subfamily, is secreted by activated T cells and displays chemotactic activity for monocytes but not for neutrophils. It binds to the chemokine (C-C motif) receptor.

| | |
|------------------------------------|--|
| | ptor 8. |
| Applications: | ELISA, WB |
| Name of antibody: | CCL1 |
| Immunogen: | Synthetic peptide of human CCL1 |
| Full name: | chemokine (C-C motif) ligand 1 |
| Synonyms: | P500; SISE; TCA3; I-309; SCYA1 |
| SwissProt: | P22362 |
| ELISA Recommended dilution: | 5000-10000 |
| WB Predicted band size: | 11 kDa |
| WB Positive control: | A431 , Jurkat , Lovo and Hepg2 cell , Human breast cancer tissue lysates |
| WB Recommended dilution: | 500-2000 |

